

1045 : Dual USB Charger 4.8A with Intelligent Device Recognition



Price: CAD \$62.99

SKU: BSS1045

Product Categories: [5V USB Connectors](#), [Camera & Device Chargers](#), [Connectors](#), [DC-DC Converters](#), [Shop](#), [USB Adaptors](#)

Product Tags: [1045](#), [4.8a](#), [blue sea 1045](#), [blue sea 1045 canada](#), [blue sea canada](#), [canada](#), [car](#), [panel](#), [smart usb port](#), [usb charger](#), [usb port](#), [van](#)

Product Page:

<https://www.modernoutpost.com/product/1045-dual-usb-charger-4-8a-with-intelligent-device-recognition/>

Product Summary

The Blue Sea 1045 Dual USB Charger is a panel-mounted 4.8A port with Intelligent Device Recognition, which means it will automatically reconnect to your device if interrupted. It also means that it is universally compatible with Apple, Android, and

all other brands. Powered from 12V or 24V DC power on cars, trucks, vans, RVs, boats, and DIY power systems at cabins.

Product Description

The Blue Sea 1045 Dual USB Charger is a panel-mounted 4.8A port with Intelligent Device Recognition, which means it will automatically reconnect to your device if interrupted. It also means that it is universally compatible with Apple, Android, and all other brands. Powered from 12V or 24V DC power on cars, trucks, vans, RVs, boats, and DIY power systems at cabins.

Blue Sea 1045 USB Charger Features

Intelligent device recognition allows rapid charging of phones, tablets, or other mobile devices - Charges at the speed required by specific devices -

Internal filtering for reduced electronic interference - Over temperature protection - Protective dust cap keeps debris and moisture out - Conformal coated circuit board for the harsh marine environment - Mounts in a common 1-1/8" hole

Blue Sea 1045 USB Charger Port Specifications

Maximum Output Current : 4.8A DC (total)

Input Voltage : 12V DC or 24V DC

Input Voltage Range : 9-32V DC

Output Voltage : 5V DC $\pm 5\%$

Parasitic Current Draw : 1mA

Port Configuration : Intelligent Device Recognition

Reverse Polarity Protection : Yes

Short Circuit Protection : Yes

Thermal Overload Protection : Yes

Product Attributes

- Dimensions: 1 × 1 × 1 cm
- Weight: .3 kg