3 SQF-3: Grundfos SQFlex Submersible Solar Pump



Price: CAD \$3,939.00

SKU: GF3SQF-3

Product Categories: Appliances, Shop

Product Tags: 3 sqf-3, 3sqf-3, canada, grundfos, grundfos 3 sqf-3, grundfos 3sqf-3 canada, grundfos solar pump, pump, solar pump, solar water pumping, sqflex, water pump, water pumping

Product Page:

https://www.modernoutpost.com/product/3-sqf-3-grundfos-sqflex-submersible-solar-pump/

Product Summary

This is the Grundfos 3 SQF-3 SQFlex Submersible Solar Pump. One of Grundfos' premier SQFlex line of submersible pumps. This pump provides the basis for a complete off-grid water supply system that incorporates the best engineering. Built with flexibility in mind, the 3 SQF-3 pump is able to run efficiently from either AC or DC power, and incorporates a built-in MPPT controller and soft-start. This model is a helical rotor pump, ideal when up to 200m (655') of lift is required, and up to 11 L/min (2.8 Gal/min).

Product Description

This is the Grundfos 3 SQF-3 SQFlex Submersible Solar Pump. One of Grundfos' premier SQFlex line of submersible pumps. This pump provides the basis for a complete off-grid water supply system that incorporates the best engineering. Built with flexibility in mind, the 3 SQF-3 pump is able to run efficiently from either AC or DC power, and incorporates a built-in MPPT controller and soft-start. This model is a helical rotor pump, ideal when up to 200m (655') of lift is required, and up to 11 L/min (2.8 Gal/min).

When the solar resource is unreliable, the Grundfos SQFlex pumps can be integrated with battery back-up systems.

3 SQF-3 Pump Applications

SQFlex pumps are designed for continuous & intermittent operation, and are ideally suited to...

- Residential : Villages, schools, hospitals, single-family houses, etc. Farms
- : Watering cattle, Irrigation of fields or greenhouses Surface water pumping : Water from ponds and lakes

Grundfos 3 SQF-3 Features

Think all pumps are created equal? Think again. The SQFlex has been engineered for people who want superior engineering, robust construction, and reliable long-term performance.

- Runs from either DC or AC power 30V - 300V - Built-in electronics make for simple installation - Extremely reliable - Low operating costs - Dry-running protection - Built-in motor protection - High efficiency - Built-in maximum power point tracking (MPPT) - Wide voltage range - Built-in sand shield

Grundfos 3 SQF-3 Pump Specifications

[Export product details as PDF file has been powered by WooCommerce PDF & Print plugin.]

- 47" L x 2.9" diameter - 17 lbs - Voltage (DC): 30 - 300V - Voltage (AC): 90 - 240V

Flow rate:

- 2.8gpm at 260' of lift (350W power)
- 2.6gpm at 655' of lift (580W power)
 - Stainless steel housing Model number: 3 SQF-3

.

Literature Downloads

SQFlex Brochure

SQFlex Product Guide (includes performance curves)

SQFlex Battery Back-Up System]

Product Attributes

- Dimensions: 1 × 1 × 1 cm

- Weight: 10 kg

Product Gallery

