

360W Step-Down DC Converter 30-60V/12V



Price: CAD \$399.99

SKU: SXIDC360C-24

Product Categories: [DC-DC Converters](#), [Shop](#)

Product Tags: [360 Watt](#), [360W](#), [canada](#), [converter](#), [dc](#), [dc to dc](#), [DC-DC Converter](#), [Fully](#), [IDC-360C-24](#), [Isolated](#), [samlex](#), [step-down](#)

Product Page: <https://www.modernoutpost.com/product/360-watt-fully-isolated-dc-dc-converter/>

Product Summary

The Samlex IDC-360C-24 isolated DC-DC converter provides a highly regulated output DC voltage of 24.5 Volts for an input DC voltage range of 30-60 Volts and rated output current of 15 Amps (at 60 Volts input).

Product Description

The Samlex IDC-360C-24 isolated DC-DC converter provides a highly regulated output DC voltage of 24.5 Volts for an input DC voltage range of 30-60 Volts and rated output current of 15 Amps (at 60 Volts input).

Features of this isolated DC-DC converter include compact housing, fold-back current limiting and protection against short circuit, overheating, overvoltage and reverse polarity connection. The unit comes with "push-on flat blade" quick disconnect connectors.

The IDC-360C-24 isolated DC-DC converter is EMI/EMC compliant and conforms to European standards EN50081-1 (for EMI), EN50082-1 (for EMC) and the European Automotive Directive 95/54/CE.

Features...

Fully Isolated

Short Circuit Protected

Current Limited

2 Year Warranty

CE Approved

Specifications...

Input

30~60 VDC

Output

24 VDC

Amps

15 Amps

Weight

3.2 (lbs)

Weight

1.45 (kg)

Dimensions

6.5 x 6.4 x 2.5 (in)

Dimensions

16.5 x 16.3 x 6.4 (cm)

Safety

CE

Warranty

2 Years (Canada/US)

Applications...

Earth moving equipment

Heavy trucks

Buses

Marine vehicles

CB radios

24 Volt lighting systems

AM/FM sound systems

Documentation...

User Manual

Spec Sheet

Product Attributes

- Dimensions: N/A

- Weight: 2.9 kg

Product Gallery

