

7611 : BatteryLink Automatic Charging Relay



Price: CAD \$199.00

SKU: BS7611

Product Categories: [Battery Chargers](#), [Disconnects](#), [Shop](#), [Wiring & BOS](#)

Product Tags: [7611](#), [automatic](#), [Automatic Charging Relay](#), [BatteryLink](#), [Blue Sea](#), [canada](#), [charge](#), [relay](#)

Product Page:

<https://www.modernoutpost.com/product/7611-batterylink-automatic-charging-relay/>

Product Summary

Blue Sea 7611 BatteryLink Automatic Charging Relay. Automatically combines batteries during charging and isolates batteries when discharging. Ideal for emergency, specialty vehicles, RV and marine applications. Maximum Group 27 battery banks.

Product Description

Blue Sea 7611 BatteryLink Automatic Charging Relay. Automatically combines batteries during charging and isolates batteries when discharging. Ideal for emergency, specialty vehicles, RV and marine applications. Maximum Group 27 battery banks.

Blue Sea 7611 Features...

- 120 Amp continuous rating - 12/24V DC auto ranging voltage input - Senses charging on two battery banks - Side and bottom knockouts for cable connections - Clip-on cover insulates terminal connections - 7/8" (22 mm) stud length to accept multiple cable terminals - Integrated LED indicates ACR status - 1/4" x .032" male quick connect terminals for ground and optional features - Largest battery bank cannot exceed Group 27 - Optional Features - Optional Auxiliary Battery Priority connection shares the alternator charge with the Auxiliary battery longer when the engine is running to allow the use of auxiliary loads for an extended period of time - Remote LED remotely indicates ACR states - requires optional LED

Blue Sea 7611 BatteryLink Specifications...

- Nominal Voltage : 12V / 24V DC - Auxiliary Battery Priority : Yes - Amperage Operating Current - 175mA @ 12V (Combine) - 115mA @ 24V (Combine) - 15mA (Open) - Continuous Rating : 120A - Intermittent Rating : 210A (5 min) - Maximum Cable Size : 1/0 AWG - Maximum Torque : 140 in-lb (15.82 Nm) - Terminal Stud Size : 3/8"-16 (M10) - Weight : 1.25lb (0.57 kg)

Product Attributes

- Dimensions: N/A
- Weight: 0.6 kg

Product Gallery

