

Digicharger Vario Universal Charger by Ansmann



CAD \$59.00][200,200,200][14]

Current Sale Price: Original price was: CAD \$59.00.CAD \$2.00Current price is: CAD \$2.00.

SKU: ANVARIO-S

In stock: 14

Product Categories: [Shop](#), [AA/AAA NiMh](#), [All Cams](#), [Camera & Device Chargers](#), [Cameras](#), [Canon](#), [Discontinued](#), [More](#), [Nikon](#), [Olympus](#), [Other Brands](#), [Panasonic](#), [Sony](#), [Specials](#), [Universal Chargers](#)

Product Tags: [12v](#), [ansmann](#), [ansmann vario](#), [battery](#), [canada](#), [charger](#), [digi charger](#), [digicharger](#), [digicharger vario](#), [dSLR](#), [solar](#), [universal](#), [Vario](#)

Product Page:

<https://www.modernoutpost.com/product/ansmann-digicharger-vario/>

Product Summary

The standard Digicharger Vario universal battery charger. If you need to charge a variety of batteries, or would rather not worry about buying a new charger every time you purchase a new camera, then the DigiCharger Vario is for you.

\$2 CLOSE-OUT SALE! When they're gone, they're gone!

Product Description

The Digicharger Vario adapts itself to just about every battery pack available. Cameras & Camcorders. Ansmann doesn't even publish a compatibility list for this reason. However, unlike the Vario Pro, this standard model orients the batteries sideways in the charger bay, allowing for longer lengths of battery.

\$2 CLOSE-OUT SALE! When they're gone, they're gone!

The Vario provides a simple charging status LED indicator. If you would like a more comprehensive display of battery status & charging status, then choose the [Vario Pro](#) model.

With the Digicharger Vario it is possible to do many more things. A charging current of 1000 mA provides short charging-times and contacts that are adjustable in both horizontal and vertical direction make it possible to charge nearly all Li-Ion battery packs, even those with a small contact area.

If you choose one charger to take with you on expeditions, this should be the one.

Ansmann Digicharger Vario Specifications...

Wide input range for worldwide use

North American & European adaptors (100-240V)

12V car adaptor

Battery Sizes & Types

AA/AAA

Lithium-ion

Lithium-polymer

- 3.6v / 3.7v & 7.2v / 7.4v

Max Battery Fit Dimensions

5.4cm (2-1/8") wide (unlimited length)

Speed

High charging currents provide short charging times

Care

Long lifetime of the rechargeable batteries due to an optimum charging control circuit

Safe

Faulty cell detection and over charge protection

- Warranty: 3 years

Dimensions:

3 x 5.1 x 1.5"

7.6 x 13 x 3.8cm

Approx 40g

.

Compatibility Note...

The only dSLR battery we have encountered thus far, that won't connect to this charger, is the Canon LP-E6. The contacts on this battery model are too close together.

If you need to charge the Canon LP-E6, we recommend any of the following...

[Ansmann PL Vario](#)] (USB source universal charger)

[Ansmann Vario Pro](#)] (12V source universal charger)

[Voltaic USB charging cradle for LP-E6](#)] (USB source dedicated charger)

Product Attributes

- Dimensions: 20 × 16 × 8 cm

- Weight: 1.2 kg

Product Gallery





