

SGA Bonded Rail Connector for Ironridge Ground Mount



Price: CAD \$39.99

SKU: IRGM-BRC

Product Categories: [Ground Mounts](#), [DIY Free-Form](#), [Mounts](#), [Shop](#)

Product Tags: [bonded rail connector](#), [canada](#), [gm-brc-002](#), [gm-brc-003](#), [ground mount pipe clamps](#), [ironridge](#), [pipe clamp](#), [pipe connector](#), [rail connector](#), [rail to pipe](#)

Product Page:

<https://www.modernoutpost.com/product/bonded-rail-connector-for-ironridge-ground-mount/>

Product Variants

- SGA Bonded Rail Connector for Ironridge Ground Mount - 2" ()
- SGA Bonded Rail Connector for Ironridge Ground Mount - 3" ()

Product Summary

Ironridge Bonded Rail Connectors attach and bond horizontal cross pipes to XR1000 Rails. Each rail requires two connectors to create a secure and bonded attachment. Available for both 2" and 3" sizes, these Rail Connectors are manufactured using extruded 6000 series aluminum.

Product Description

The Ironridge SGA Bonded Rail Connector attaches and bonds horizontal cross pipes to XR1000 Rails. Each rail requires two connectors to create a secure and bonded attachment. Available for both 2" and 3" sizes, these Rail Connectors are manufactured using extruded 6000 series aluminum.

Will also connect to XR100 and XR10 rails, but note that only the XR1000 rails have the ability to span typical N-S pier distances. We can assist with ground mount designs to meet Ironridge parts specifications.

Two Available Sizes...

GM-BRC-002 : Ground Mount Bonded Rail Connector - for 2" Pipe

GM-BRC-003 : Ground Mount Bonded Rail Connector - for 3" Pipe

Part Of The Ironridge Ground Mount System

The IronRidge Ground Mount System scales to support a wide range of site and terrain challenges. This system consists of components that allow for installer-supplied steel pipe or mechanical tubing to combine with the XR1000 rail assembly for simple, rapid, cost effective ground mounting.

Product Attributes

- Dimensions: 1 × 1 × 1 cm

- Weight: .4 kg
- Pipe Size: 2", 3"