# Enphase IQ Envoy



#### Price: CAD \$749.00

SKU: ENIQENVOY

**Product Categories**: <u>Cables & Wiring Kits</u>, <u>Inverter Installation</u>, <u>Inverters</u>, <u>Remotes</u> <u>& Displays</u>, <u>Shop</u>

Product Tags: enlighten, enphase, enphase iq, enphase iq envoy, enphase iq
envoy canada, ENV-IQ-AM1-240, envoy canada, iq, iq envoy, iq envoy canada
Product Page: https://www.modernoutpost.com/product/enphase-iq-envoy/

#### **Product Summary**

The Enphase IQ Envoy. This unit provides the means to monitor your Enphas IQ microinverter-based solar home power system. Compatible with the Enphase IQ<sup>™</sup> System and all IQ micro inverters (IQ6 series, IQ7 series, and IQ8 series) the IQ Envoy enables remote monitoring and update capabilites while offering system owners energy insight and storage control.

## **Product Description**

The Enphase IQ Envoy. This unit provides the means to monitor your Enphas IQ microinverter-based solar home power system. Compatible with the Enphase IQ<sup>™</sup> System and all IQ micro inverters (IQ6 series, IQ7 series, and IQ8 series) the IQ Envoy enables remote monitoring and update capabilites while offering system owners energy insight and storage control.

The Enphase IQ Envoy communications gateway delivers solar production and energy consumption data to Enphase Enlighten<sup>™</sup> monitoring and analysis software for comprehensive, remote maintenance and management of the Enphase IQ System. With integrated revenue grade production metering and optional consumption monitoring, the Envoy IQ is the platform for total energy management and integrates with the Enphase IQ Battery<sup>™</sup>.

- Communicates with IQ System Microinverters - Consumption metering capable for total energy insight - Revenue grade accurate, ANSI C12.20 compliant production meter - Bi-directional communications helps the IQ System adapt to future requirements - Flexible networking options with integrated Wi-Fi - 3G and 4G cellular options

#### IQ Envoy Features

#### Smart

- Enables web-based monitoring and control
- Bidirectional communications for remote upgrades

#### Simple

- Easy system configuration using Enphase Installer Toolkit<sup>™</sup> mobile app
- Flexible networking with Wi-Fi, Ethernet, or cellular

#### Reliable

- Designed for installation indoors or outdoors
- Five-year warranty

Compliance

UL 916

CAN/CSA C22.2 No. 61010-1

47 CFR, Part 15, Class B, ICES 003 IEC/EN 61010-1:2010, EN50065-1, EN61000-4-5, EN61000-6-1, EN61000-6-2 Metering: ANSI C12.20 accuracy class 0.5

### **Product Attributes**

- Dimensions: 1 × 1 × 1 cm
- Weight: 1.9 kg