

FM-CM-001-B : Conduit Mount & Flashing for Composition Roofs by Ironridge



Price: CAD \$38.99

SKU: IRFMCM001-B

Product Categories: [Composite Shingle](#), [Ironridge](#), [Mounts](#), [Rooftop Attachments](#), [Rooftop Racking Systems](#), [Shop](#), [Wire Management](#), [Wiring & BOS](#)

Product Tags: [asphalt](#), [attachment](#), [canada](#), [composite](#), [conduit flashing](#), [conduit mount](#), [conduit support](#), [flashing](#), [FM-CM-001-B](#), [ironridge FM-CM-001-B](#), [ironridge FM-CM-001-B canada](#), [rooftop](#), [shingle](#), [solar](#), [solar conduit](#)

Product Page:

<https://www.modernoutpost.com/product/fm-cm-001-b-conduit-mount-flashing-for-composition-roofs-by-ironridge/>

Product Summary

This is the FM-CM-001-B. Ironridge's conduit mount & flashing solution for composition roofs. Every part in a solar array is expected to last for decades, even when exposed to severe weather and harsh rooftop conditions. This is why

Ironridge products are meticulously engineered and thoroughly tested to ensure that they can do the job day in and day out.

Product Description

This is the FM-CM-001-B. Ironridge's conduit mount & flashing solution for composition roofs. Every part in a solar array is expected to last for decades, even when exposed to severe weather and harsh rooftop conditions. This is why Ironridge products are meticulously engineered and thoroughly tested to ensure that they can do the job day in and day out.

Despite posing comparable risks of equipment failures, leaks, and callbacks, many of the components located just outside the solar array attract much less attention and scrutiny.

The IronRidge Conduit Mount supports a wide range of electrical and waterproofing technology.

Ironridge FM-CM-001-B Conduit Support Mount Features

Conduit Clamp

Without the use of tools, it snaps into position and can be oriented in any direction.

Conduit Cap

Without the use of hardware, it twists on, encases the seal on the lag screw, and offers elevated mounting.

Deck Screw

No rafter is necessary to secure the roof deck. The socket size is the same as the rest of the hardware.

Built for ¾ / 1" EMT

Flashing: 9" x 12", Black

Qty: Single mount (These come from Ironridge in boxes of 4, but we break to single so you can order whatever quantities your project needs).

[Download the Spec Sheet here\]](#)

Product Attributes

- Dimensions: 1 × 1 × 1 cm
- Weight: .8 kg