

# GP-BF-200M : Eclipse 200W Black Solar Module by Go Power!



Price: CAD \$375.99

**SKU:** GP-BF-200M

**Product Categories:** [Medium Modules : 100W+](#), [Roof / Ground / Pole](#), [Shop](#), [Solar Modules](#)

**Product Tags:** [200 watts](#), [200w](#), [200w solar](#), [black](#), [black solar panel](#), [boat](#), [boat solar](#), [cabin](#), [cabin solar](#), [canada](#), [Eclipse](#), [gp-bf-200m](#), [gp-bf-200m canada](#), [gp-pv-200m](#), [gp-pv-200m canada](#), [pump](#), [rv](#), [RV solar](#), [solar](#), [van](#)

**Product Page:** <https://www.modernoutpost.com/product/gp-bf-200m-eclipse-200w-black-solar-module-by-go-power/>

## Product Summary

This is the GP-BF-200M Eclipse 200W black solar module. A sleek module that makes any cabin, RV, boat, or van look great while offsetting your power needs. The Eclipse 200W is a high-efficiency monocrystalline solar module that provides outstanding performance and cost-effective solar power for high-end off-grid and mobile applications. The Go Power! GP-BF-200M solar module is built to last and features a 25-year limited power output warranty.

## Product Description

This is the GP-BF-200M Eclipse 200W black solar module. A sleek module that makes any cabin, RV, boat, or van look great while offsetting your power needs. The Eclipse 200W is a high-efficiency monocrystalline solar module that provides outstanding performance and cost-effective solar power for high-end off-grid and mobile applications. The Go Power! GP-BF-200M solar module is built to last and features a 25-year limited power output warranty.

This module is part of the [Eclipse 200 Solar Kit](#), and the [Eclipse 200E](#) Expansion Kit.

Durable

To ensure a long service life, the high-efficiency monocrystalline cells are encapsulated between special tempered

low-iron solar glass and a TEDLAR/Polyester back sheet. The marine-grade anodized aluminum frame allows the module to be installed in the harshest conditions.

GP-BF-200M Eclipse 200W Black Solar module features

- Compact and rugged design
- Plug and play MC4 output cables
- Lightweight, black, power-coated frame
- High transmissivity tempered glass
- Industry standard quick-connect cables (MC4) work in series or in parallel
- 25 year limited power output warranty

GP-BF-200M Eclipse 200W Specifications in Brief

Solar cell type : Monocrystalline

Output power : 200 W

Current (max power  $I_{mpp}$ ) : 9.62 A

Voltage (max power  $V_{mpp}$ ) : 20.8 V

Open-circuit voltage ( $V_{oc}$ ) : 24.30 V

Short-Circuit Current ( $I_{sc}$ ) : 10.09 A

Temperature Coefficient (Power) : -0.39%/C

Temperature Coefficient (Voltage) : -0.31%/C

Temperature Coefficient (Current) : 0.045%/C

Frame Type : Black anodized aluminum frame

Certifications : CE, CSA

Panel Dimensions : 59.06 x 26.3 x 1.57 in / 1500 x 668 x 40 mm

Weight : 26.4 lbs / 12 kg

Warranty : 25 years power output

Download GP-BF-200M Eclipse Documents

[GP-BF-200M Eclipse Specifications](#)] [User Manual](#)]

## Product Attributes

- Dimensions: 160 &times; 70 &times; 8 cm
- Weight: 13 kg

## Product Gallery



