## GP-FLEX-35-KIT: 35W Flex Kit by Go Power Solar Flex



Price: CAD \$429.00

SKU: GPFLEX35-KIT

**Product Categories**: RV & Van Systems, Boats & Yachts, Cabin Solar Power, On The Road, On The Roof, On The Water, Pop Picks For Boats, Pop Picks For Vans & RVs, Roof / Ground / Pole, Semi-Flex Crystalline, Shop, Solar Modules, Tiny House Power

**Product Tags**: 30w, canada, carmanah, crystalline, flexible, flexible solar panel, go power, gp-flex-30, gp-flex-30 canada, marine, monocrystalline, rv, solar, solar flex, solar flex 30, solar panel

#### **Product Page:**

https://www.modernoutpost.com/product/gp-flex-35-kit-35w-flex-kit-by-go-power-solar-flex/

### **Product Summary**

The Go Power! GP-FLEX-35 Solar Flex Kit uses Solar Flex<sup>™</sup> panels that are aerodynamic and durable. A virtually unbreakable solar battery charger for RVs,

boats, work trucks and long-haul trailers and sleeper cabs. These solar panels are designed to provide a powerful charging solution for batteries and conform to almost any surface. Unlike other 'flexible' products, Solar Flex™ uses high-efficiency monocrystalline cells that produce more power per square foot than any other flexible panel on the market.

#### **Product Description**

The Go Power! GP-FLEX-35-KIT Solar Flex Kit uses Solar Flex<sup>™</sup> panels that are aerodynamic and durable. A virtually unbreakable solar battery charger for RVs, boats, work trucks and long-haul trailers and sleeper cabs. These solar panels are designed to provide a powerful charging solution for batteries and conform to almost any surface. Unlike other 'flexible' products, Solar Flex<sup>™</sup> uses high-efficiency monocrystalline cells that produce more power per square foot than any other flexible panel on the market.

GP-FLEX-35-KIT Features...

The Go Power! 35-watt Flexible Solar Kit includes marine-grade, flat, and low-profile solar modules with adhesive or screw-mounting options.

Perfect for RV's and boats, its flexible design can conform to almost any surface. The panels are only 3 mm thick, making them easy to install. The thin, lightweight design provides a low profile, which is aesthetically pleasing and more aerodynamic than traditional rigid solar modules. The solar panels are durable, providing you with a long-term solution to your solar power needs.

An impermeable lamination coats the entire Solar Flex<sup>™</sup> module, allowing it to contour and flex against curved surfaces eliminating any need for custom mounts. The panel can be affixed by adhesive or screws, and grommets are provided for ease of installation.

\*Best paired with 100Ah of AGM Battery Power, or Lithium Battery Power.

- Avoids custom mounts (modules curves up to 30 degrees) - Can be affixed with adhesive or screws - Provides a durable surface (module is less than 1/8" / 3mm thick) - Is ideal for lightweight RVs (modules are 82% lighter) - Can be

affixed with adhesive or screws - Has a durable surface - Measures less than 1/8" (3 mm) thick - Is ideal for lightweight RVs (modules are 82% lighter) - 5-year solar module power output warranty

Sealant/adhesive required will depend on roof membrane material and is not included in the Solar Flex kit. Use an appropriate sealant as recommended by your RV dealer or manufacturer.

Flex 35 Kit Includes: - 35 watts / 1.7 amps flexible solar module 10-amp digital PWM

Flush-Mounted Solar Controller] - 25' of solar output cable - RED (#10) - 25' of solar output cable - BLACK (#10)

Solar Flex 35 Solar Module Specifications...

Model : GP-FLEX-35 Output Power : 35W

Rated Charging Current: 1.7A

Voc: 21.0V DC

- Vmpp: 17.5V - Isc: 1.88A

Solar Cell: Flexible, Back-contact monocrystalline

Framing: None

Installation : Penetrating & adhesive roof mount options

Solar Controller: 10A PWM

Expansion: n/a

In The Box: 2x 25' #10AWG output cable with MC4 connectors, mounting hardware

Dimensions: 24.4 x 14.96 x 0.1" / 620 x 380 x 3 mm

Weight: 1.1 lb / 0.49 kg

Output Warranty: 10 Years

Solar Controller Warranty: 5 Years

Downloads

Spec Sheet] User Manual]

### **Product Attributes**

- Dimensions: 1 × 1 × 1 cm

- Weight: 2.9 kg

# **Product Gallery**







