

GP-PV-200M : 200W Solar Module by Go Power!



Price: CAD \$375.99

SKU: GP-PV-200M

Product Categories: [Medium Modules : 100W+](#), [Roof / Ground / Pole](#), [Shop](#), [Solar Modules](#)

Product Tags: [200 watts](#), [200w](#), [200w solar](#), [boat](#), [boat solar](#), [cabin](#), [cabin solar](#), [canada](#), [Eclipse](#), [gp-bf-200m](#), [gp-bf-200m canada](#), [gp-pv-200m](#), [gp-pv-200m canada](#), [gp-pv-200m solar](#), [pump](#), [rv](#), [RV solar](#), [solar](#), [van](#)

Product Page: <https://www.modernoutpost.com/product/gp-pv-200m-200w-solar-module-by-go-power/>

Product Summary

This is the GP-PV-200M Eclipse 200W solar module. A sleek module that's ideal for RVs, cabins, water pumping, and more. The Eclipse 200W is a high-efficiency monocrystalline solar module that provides outstanding performance and cost-effective solar power for high-end off-grid and mobile applications. The Go Power! GP-PV-200M solar module is built to last and features a 25-year limited power output warranty.

Product Description

This is the GP-PV-200M Eclipse 200W solar module. A sleek module that's ideal for RVs, cabins, water pumping, and more. The Eclipse 200W is a high-efficiency monocrystalline solar module that provides outstanding performance and cost-effective solar power for high-end off-grid and mobile applications. The Go Power! GP-PV-200M solar module is built to last and features a 25-year limited power output warranty.

This module is part of the [Eclipse 200 Solar Kit](#)], and the [Eclipse 200E](#)] Expansion Kit.

Durable

To ensure a long service life, the high-efficiency monocrystalline cells are encapsulated between special tempered low-iron solar glass and a TEDLAR/Polyester back sheet. The marine-grade anodized aluminum frame allows the

module to be installed in the harshest conditions.

GP-PV-200M Eclipse 200W Solar module features

- Compact and rugged design - Plug and play MC4 output cables - Lightweight, black, power-coated frame - High transmissivity tempered glass - Industry standard quick-connect cables (MC4) work in series or in parallel - 25 year limited power output warranty

GP-PV-200M 200W Specifications in Brief

Solar cell type : Monocrystalline

Output power : 200 W

Current (max power I_{mpp}) : 9.62 A

Voltage (max power V_{mpp}) : 20.8 V

Open-circuit voltage (V_{oc}) : 24.30 V

Short-Circuit Current (I_{sc}) : 10.09 A

Temperature Coefficient (Power) : -0.39%/C

Temperature Coefficient (Voltage) : -0.31%/C

Temperature Coefficient (Current) : 0.045%/C

Frame Type : Black anodized aluminum frame

Certifications : CE, CSA

Panel Dimensions : 59.06 x 26.3 x 1.57 in / 1500 x 668 x 40 mm

Weight : 26.4 lbs / 12 kg

Warranty : 25 years power output

Download GP-PV-200M Documents

[GP-BF-200M Eclipse Specifications](#) [User Manual](#)

Product Attributes

- Dimensions: 160 × 70 × 8 cm
- Weight: 13 kg

Product Gallery



