

## JB-3 Rail-Mounted PV Junction Box by EZ Solar



Price: CAD \$85.00

**SKU:** EZJB3

**Product Categories:** [Junction Boxes](#), [Shop](#), [Wiring & BOS](#)

**Product Tags:** [canada](#), [ez solar](#), [j-box](#), [jb-3](#), [jb-3 canada](#), [jb-3 junction box](#), [rail](#), [rooftop](#)

**Product Page:**

<https://www.modernoutpost.com/product/jb-3-rail-mounted-pv-junction-box-by-ez-solar/>

### Product Summary

The EZ Solar JB-3 is a universal rail-mounted junction box for making rooftop wiring connections far easier. With flexible stainless steel clamps, you can mount to any rail, whether rounded or squared.

### Product Description

The EZ Solar JB-3 is a universal rail-mounted junction box for making rooftop wiring

connections far easier. With flexible stainless steel clamps, you can mount to any rail, whether rounded or squared.

### JB-3 Rooftop Junction Box Features

- Self-leveling - Securely connects to rail - Fast and easy installation - No leaking - Includes DIN rail and rail mounting strapping

### JB-3 Specifications and Ratings

- Maximum Voltage: 1,000 Volts - Maximum Current: 80 Amps - Allowable Wire: 14 AWG - 6 AWG - Spacing: Please maintain a spacing of at least ½" between uninsulated live parts and fittings for conduit, armored cable, and uninsulated live parts of opposite polarity. - Enclosure Rating: Type 3R - Roof Slope Range: 2.5 - 12:12 - Max Side Wall Fitting Size: 1" - Max Floor Pass-Through Fitting Size: 1" - Ambient Operating Conditions: (-35°C) - (+75°C)

### Compliance:

- JB-3: UL1741, CSA C22.2 No. 290 - Approved wire connectors: must conform to UL1741 - System Marking: Interek Symbol and File #5025824 - Periodic Re-inspections: If re-inspections yield loose components, loose fasteners, or any corrosion between components, components that are found to be affected are to be replaced immediately.

### JB-3 Document Downloads

Data sheet

Installation manual

### Product Attributes

- Dimensions: 8 &times; 8 &times; 3 cm
- Weight: .8 kg

### Product Gallery

