Liquid-Tight Cable Entry Glands & Strain Reliefs



CAD \$1.99 - CAD \$19.99][15, 117, 84][14]

Product Categories: Connectors, Others, Shop, Wire Management, Wiring & BOS

Product Tags: canada, cord grip, cordgrip, gland, heyco, hummel, liquid tight, relief, strain, strain relief, strain relief

canada, wire, wire gland

Product Page: https://www.modernoutpost.com/product/liquid-tight-cable-entry-glands-strain-reliefs-wire-cordgrips/

Product Variants

- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M3231 ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M3460 ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M3234GBS-SM ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M8437GBT-SM ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M4524GBW-SM ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M3234GDA-SM ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HUMMEL 1209120171 ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HEYCO M3200GAJ ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HUBBELL SEC50GA ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs HUMMEL 1587121871 ()
- Liquid-Tight Cable Entry Glands & Strain Reliefs PGG342X6B ()

- Liquid-Tight Cable Entry Glands & Strain Reliefs - HEYCO M3200GAH-SM ()

Product Summary

All the Liquid-Tight Cable Entry Glands & Strain Reliefs & wire cordgrips needed for most solar installation work can be found here. Use the 1/2" NPT threaded connectors to provide a waterproof entrance or exit for wiring on PV module junction boxes and outdoor combiner boxes. Use the 3/4" NPT connector for cables up to 5/8" (17mm) diameter. For reference, PV wire fits a 7mm hole.

Product Description

All the Liquid-Tight Cable Entry Glands & Strain Reliefs & wire cordgrips needed for most solar installation work can be found here. Use the 1/2" NPT threaded connectors to provide a waterproof entrance or exit for wiring on PV module junction boxes and outdoor combiner boxes. Use the 3/4" NPT connector for cables up to 5/8" (17mm) diameter. For reference, PV wire fits a 7mm hole.

Made of Nylon with Buna-N seals. Resistant to salt water, and most mild chemicals and oils, these strain reliefs are noncorrosive and suitable for direct-burial installations.

Liquid-Tight Cable Entry Glands, Strain Reliefs,

& Wire Cordgrips

HEYCO M3231: 1-Wire

1-Hole, Up to 11.4mm wire, 1/2" NPT w/ lock nut

Great for a single PV wire, or DC wires up to #2AWG in size

HEYCO M3460: 1-Wire

1-Hole, Up to 6-11mm wire, 3/4" NPT w/ lock nut

Great for a single PV wire, or DC wires up to #4AWG in size

HEYCO M3234: 3-Wire

3-Holes (skinned), Up 7.7mm wire, 3/4" NPT w/ lock nut

Great for PV wires (ie 1 string + ground), or DC wires up to #6AWG in size

HEYCO M8437GBT-SM: 5-Wire

5-Holes (skinned), Up 7.7mm wire, 1" NPT w/ lock nut

Great for 5 PV wires (ie 2 strings + ground), or DC wires up to #6AWG in size

HEYCO M4524GBW-SM: 9-Wire

9-Holes (skinned), Up 7.7mm wire, 1-1/4" NPT w/ lock nut

Great for 9 PV wires (ie 4 strings + ground), or DC wires up to #6AWG in size

HEYCO M3234GDA-SM: 3-Wire

3-Holes (skinned): 2x Oval (6.1x9.7), 1x 3.3mm, 3/4" NPT w/ lock nut

Ideal for up to 2 Enphase Q-Cables, + #8 ground wire,

or flat marine cables up to #10/2

or landscape wire

OTHER MODELS...

HUMMEL: 1209120171

1-Wire Liquid-Tight Cable Gland, 1/2" NPT Thread, 1-Hole, 5-9mm Wire

Great for a single PV wire

HEYCO: M3200GAJ

2-Wire Liquid-Tight Cable Gland, 1/2" NPT Thread, 2-Hole, 6mm Wire

Fits two #10AWG DC wires.

HUBBELL SEC50GA

1-Wire Liquid-Tight Cable Gland, 1/2" NPT Thread, 1-Hole, 4-11mm Wire

Ideal for a variety of single-conductor cables

HEYCO: M3234

1-Wire Liquid-Tight Cable Gland, 3/4" NPT Thread, 1-Hole, 11-17.9mm Wire

Larger gland for up to #4 wire (check your dims)

HUMMEL: 1587121871

Oval Liquid-Tight Cable Gland, 1/2" NPT Thread, 1-Hole, 6x14mm Wire

Works great for USE-2 or Micro Inverter cable (Enphase)

PGG342X6B

2-Wire Liquid-Tight Cable Gland, 3/4" NPT Thread, 2-Hole, 5-8.9mm Wire

HEYCO: M3200GAH-SM

1-3 Wire Liquid-Tight Cable Gland, 1/2" NPT Thread, 1-3 Hole, 5-6mm Wire

Accommodates up to 3 USE-2 or primary DC wires up to #10AWG

Downloads <u>Heyco-Titan General Cordgrips Spec Sheet</u>] <u>Heyco-Titan UL Listed/Recognized and CSA Certified Liquid Tight Cordgrips for Solar Applications</u>] **HUMMEL 1209120171 HUMMEL 1587121871** <u>HUBBELL SEC50GA</u>]

Product Attributes

- Dimensions: N/A

Model: HEYCO M3231, HEYCO M3460, HEYCO M3234GBS-SM, HEYCO M8437GBT-SM, HEYCO
M4524GBW-SM, HEYCO M3234GDA-SM, HUMMEL 1209120171, HEYCO M3200GAJ, HUBBELL SEC50GA,
HUMMEL 1587121871, PGG342X6B, HEYCO M3200GAH-SM

Product Gallery













