MNEAC: 120V AC, 1 Pole, DIN Rail Breakers



Price: CAD \$33.99

SKU: MNEAC

Product Categories: Breakers, Shop, Wiring & BOS

Product Tags: 10a, 120V, 15A, 20a, 25A, 30A, 40a, 50A, 5a, 60a, ac, ac breaker, branch, breaker, canada, din rail, midnite, midnite solar, mneac10, mneac15,

mneac20, mneac25, mneac30, mneac40, mneac5, mneac50, mneac60, solar

Product Page:

https://www.modernoutpost.com/product/mneac-120v-ac-1-pole-din-rail-breakers/

Product Variants

- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers - 60A ()

- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers - 50A ()

- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers - 40A ()

- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers - 30A ()

- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers 25A ()
- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers 20A ()
- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers 15A ()
- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers 10A ()
- MNEAC: 120V AC, 1 Pole, DIN Rail Breakers 5A ()

Product Summary

The Midnite Solar MNEAC breakers are 120VAC din rail mount breakers designed for use in AC branch circuit breaker boxes.

Product Description

The Midnite Solar MNEAC 120V AC, 1 Pole, DIN Rail Breakers. Designed for use in AC branch circuit breaker boxes.

All MidNite circuit breakers are rated for 100% continuous duty. MidNite's breakers are rated to break the full rated load at the rated voltage repeatedly, with NO DAMAGE. Always use a properly sized breaker for disconnecting.

All MidNite MNEAC circuit breakers can be used at 100% rated current when mounted in a MidNite enclosure.

Breaker Torque Value: 20 In-Lbs (2.3NM)

- Environmental Rating - Type 1 (Indoor) - Branch circuit rated - 5-25A models: 489A 10,000 AIC - 30, 40, 50, 60 amp models: Supplementary protection 1077. 3,000 AIC - Listed for US & Canada

Product Attributes

- Dimensions: N/A

- Weight: .3 kg

- Amps Rating: 5A, 10A, 15A, 20A, 25A, 30A, 40A, 50A, 60A