

Outback 2000NC EnergyCell® NC High Capacity Battery System



Price: CAD \$36,185.00

SKU: OPEC2000NC

Product Categories: [Batteries](#), [Lead-Acid](#), [Sealed : Lead-Carbon](#), [Shop](#)

Product Tags: [2000](#), [2000nc](#), [canada](#), [energy cell](#), [energycell](#), [nano carbon](#), [outback](#), [outback 2000nc](#), [outback 2000nc canada](#), [outback power](#)

Product Page:

<https://www.modernoutpost.com/product/outback-2000nc-energycell-nc-high-capacity-battery-system/>

Product Summary

Outback 2000NC EnergyCell® NC High Capacity Battery System, 48V Partial State of Charge (PSoC) Energy Storage Technology. The EnergyCell Nano-Carbon High Capacity battery line provides an ideal solution for larger applications where limited

sun hours are available for proper recharging of standard deep cycle batteries.

Product Description

Outback 2000NC EnergyCell® NC High Capacity Battery System, 48V Partial State of Charge (PSoC) Energy Storage Technology. The EnergyCell Nano-Carbon High Capacity battery line provides an ideal solution for larger applications where limited sun hours are available for proper recharging of standard deep cycle batteries.

The Nano-Carbon is an enhanced and optimized negative active material formulation

which makes it more than just a carbon additive. The high surface area carbon is a specially formulated additive for improving the negative active material in lead-acid batteries. Carbon increases conductivity and adds additional capacitance to the battery. Nano-Carbon improves charge efficiency and allows PSoC operation with improved deep discharge recovery.

The included pre-assembled steel racking system allows for ease of installation with a small footprint and front access to all cell connections.

Outback 2000NC Highlights...

- ☑ Ideal for Large Residential and Commercial Self-Consumption Applications
- Up to 44% improved Cycle Life vs Traditional VRLA Batteries - Up to 95% Round-Trip Efficiency - 3-year Full Replacement warranty

Outback 2000NC Specifications Brief...

Cell Technology : VRLA-AGM Carbon

48V Cell Configuration : 4x6

Cycle Life (50% DOD) : 2,000

AHr Capacity : C/24 1.75VPC: 1740 | C/100 1.75VPC: 1990

Energy Storage per Cell (kWhr) : C/24: 3.48 | C/100: 3.98

- Total Bank Energy Storage (kWhr @ C/100) : 95.52

Dimensions LxWxH (inches / cm) : 26.38 x 28.25 x 77.28 / 67.0 x 71.8 x 196.3

Weight (lbs/Kg) : 5,365 / 2,434

[Download the Full Specifications Sheet\]](#)

Product Attributes

- Dimensions: 2 × 2 × 2 cm
- Weight: 2400 kg