


75W P3 Portable Solar Charger (24V)



Price: CAD \$995.00

Product Categories: [Folding Thin Film](#), [Shop](#), [Solar Modules](#)

Product Tags: [24V](#), [75 watt](#), [75w](#), [canada](#), [CIGS](#), [flexible](#), [folding](#), [p3](#), [p3 75w](#), [p3 solar](#), [p3 solar panel](#), [pack](#), [portable](#), [solar](#), [solar charger](#), [solar panel](#), [thin film](#), [thinfilm](#)

Product Page:

<https://www.modernoutpost.com/product/p3-75w-portable-solar-charger-24v/>

Product Variants

- 75W P3 Portable Solar Charger (24V) - Multicam ()
- 75W P3 Portable Solar Charger (24V) - Desert ()
- 75W P3 Portable Solar Charger (24V) - Woodland ()
- 75W P3 Portable Solar Charger (24V) - Black ()

Product Summary

P3-75W portable solar charger. The P3-75 is a 75 Watt Military grade solar charger derived from years of supporting troops. The P3-75 has been approved for deployment in austere operating environments. At over 33Watts/pound, the P3-75 enables packable applications requiring lightweight, flexible, and reliable power. This is the 24V nominal system version.

Product Description

P3-75W portable solar charger. The P3-75 is a 75 Watt Military grade solar charger derived from years of supporting troops. The P3-75 has been approved for deployment in austere operating environments. At over 33Watts/pound, the P3-75 enables packable applications requiring lightweight, flexible, and reliable power. CIGS thin film solar cells provide the power in a wide range of conditions.

This is the 24V nominal system version. The P3-75 is ideal for charging...

- Rechargeable Batteries
- GPS Devices
- Laptop Computers
- 2-way Radios
- Satellite & Cell Phones
- PDAs MP3 Players
- Satellite Terminals
- Thermal Imaging Camera's
- Laser Rangefinders

P3-75W Specifications...

Rated Power : 75W

Rated Current (MPP) : 2.3A

Rated Voltage (MPP) : 33V

Nominal Voltage : 24V (integrates with MPPT regulated systems & 24V PWM)

Dimensions...

Folded : 25.4 x 31.8 x 2.4cm (10 x 12.5 x 0.9)

Deployed :154.9 x 61.0 x 0.1cm (61 x 24 x 0.04)

Weight : 850g (1.875lb)

[P3 75W 24V PORTABLE SOLAR CHARGER SPEC SHEET\]](#)

Connecting the P3 Solar Module

Get the accessories you need to connect your P3 to your battery & power systems...

[SAE to Ring Terminals - 15 inch\]](#) : 18 AWG zip cord cable, #10 rings

[SAE to Ring Terminals - 18 inch\]](#) : 16 AWG zip cord cable, 5/16" rings, shrouded SAE & cap

[SAE to FCLA\]](#) : SAE to Female Cigarette Lighter Adapter (socket)

[SAE to MCLA\]](#) : SAE to Male Cigarette Lighter Adapter

[SAE to 2.5mm Barrel\]](#) : SAE to 2.5mm id x 5.5mm od Barrel Adapter

[SAE to 2.1mm Barrel\]](#) : SAE to 2.1mm id x 5.5mm od Barrel Adapter

[SAE Y-cable\]](#) : Output Splitter/Combiner Cable

[8' Extension\]](#) : SAE to SAE 8' Extension cable, 18AWG

[20' Extension\]](#) : SAE to SAE 20' Extension cable, 14AWG

[7A Charge Controller\]](#) : Charge control for 12V lead acid batteries

Product Attributes

- Dimensions: N/A
- Weight: 1.9 kg
- Colour: Black, Woodland, Desert, Multicam

Product Gallery

