

PICO Type III Manual Reset Circuit Breakers



Price: CAD \$59.99 - CAD \$89.99

SKU: PICO-xxxx

Product Categories: [Breakers](#), [Shop](#), [Wiring & BOS](#)

Product Tags: [100A](#), [120a](#), [135a](#), [150a](#), [200A](#), [250A](#), [300A](#), [50A](#), [60a](#), [70a](#), [80A](#), [90a](#), [boat](#), [breaker](#), [canada](#), [dc breaker](#), [flush mount](#), [manual reset](#), [pico](#), [pico canada](#), [resettable](#), [rv](#), [solar breaker](#), [surface mount](#), [type 3](#), [type III](#), [van](#), [waterproof breaker](#)

Product Page:

<https://www.modernoutpost.com/product/pico-type-iii-manual-reset-circuit-breakers/>

Product Variants

- PICO Type III Manual Reset Circuit Breakers - 50A ()
- PICO Type III Manual Reset Circuit Breakers - 60A ()

- PICO Type III Manual Reset Circuit Breakers - 70A ()
- PICO Type III Manual Reset Circuit Breakers - 80A ()
- PICO Type III Manual Reset Circuit Breakers - 90A ()
- PICO Type III Manual Reset Circuit Breakers - 100A ()
- PICO Type III Manual Reset Circuit Breakers - 120A ()
- PICO Type III Manual Reset Circuit Breakers - 135A ()
- PICO Type III Manual Reset Circuit Breakers - 150A ()
- PICO Type III Manual Reset Circuit Breakers - 200A ()
- PICO Type III Manual Reset Circuit Breakers - 250A ()
- PICO Type III Manual Reset Circuit Breakers - 300A ()

Product Summary

PICO Type III Manual Reset Circuit Breakers will remain tripped (in the off position) until the lever is manually reset. Panel or surface mount. Typically used in auxilliary and accessory circuits-trucks, busses, RV's and marine applications. Others might include battery chargers, solar circuits, and DC audio systems.

Product Description

PICO Type III Manual Reset Circuit Breakers will remain tripped (in the off position) until the lever is manually reset. Panel or surface mount. Typically used in auxilliary and accessory circuits-trucks, busses, RV's and marine applications. Others might include battery chargers, solar circuits, and DC audio systems.

PICO Type III Manual Reset Circuit Breakers

- Amperage: 50A, 60A, 70A, 80A, 90A, 100A, 120A, 135A, 150A, 200A, 250A, 300A - Colour : Black - Flammability Rating : UL94-V0 (HOUSING) - Interrupt Rating : 2000A @ 48V DC - Construction : THERMOSET PLASTIC - SAE Standard : J1625 - Temperature Rating °C : -32 TO 82 - Storage: -34 TO 149 - Voltage : 48V DC

Check your coldest weather Voc if using these as solar disconnects!

Product Attributes

- Dimensions: 1 × 1 × 1 cm
- Weight: .4 kg
- Current Rating: 50A, 60A, 70A, 80A, 90A, 100A, 120A, 135A, 150A, 200A, 250A, 300A