

Stellar 6 USB Solar Charger



Price: CAD \$104.99

SKU: VCSTELLAR6-USB

Product Categories: [Ultralight](#), [Bike Touring](#), [Kayak & Canoe Solar](#), [On The Road](#), [On The Trail](#), [On The Water](#), [Packable](#), [Pop Picks For Backpacking](#), [Rugged Stuff](#), [Shop](#), [Solar Modules](#), [USB Solar](#)

Product Tags: [6 watt](#), [6w](#), [apple](#), [camera charger](#), [canada](#), [drone](#), [drone charger](#), [iPhone](#), [solar panel](#), [solar usb](#), [tablet charger](#), [universal](#), [usb charger](#), [usb port](#)

Product Page:

<https://www.modernoutpost.com/product/stellar-6-usb-solar-charger/>

Product Summary

Pack light & rugged, and leave the solar storage battery at home. The Stellar 6 solar USB charger charges your USB device directly from the sun! Plug in your phone, tablet, drone, camera, or any other USB device like you do with any other USB port, and you convert the sun's fusion reactor into your own personal USB charger.

Product Description

Pack light & rugged, and leave the solar storage battery at home. The Stellar 6 solar USB charger charges your USB device directly from the sun! Plug in your phone, tablet, drone, camera, or any other USB device like you do with any other USB port, and you convert the sun's fusion reactor into your own personal USB charger.

The Stellar 6 Is Tough!

This high performance 6 Watt solar panel will support high drain USB devices directly from its universal USB port featuring auto-connect. All you need is a little daylight!

Stronger it is, the faster you charge!

Is it quality? How about IPX7 waterproof rating, scratch- and UV resistant, and high-efficiency monocrystalline cells.

Stellar 6 Specifications...

Size and Weight - 220 x 175 x 5mm (8.7 x 6.9 x 0.2 in) - 241g (8.5oz) **Solar Module** - Monocrystalline cells - 19% efficient - Open Circuit Voltage: 7.0V - Peak

Voltage: 6.0V - Peak Current: 1025mA - Peak Power: 6.15 Watts **USB Port**

Adaptor - Universal compatibility - Stable 5V output for your USB devices -

Auto-reconnect when the weather interrupts **Construction** - Urethane coating

- 3mm Aluminum/Plastic composite substrate **Mounting and Cables** - Four screws on back corners of panel allow multiple mounting options for straps, bags, paniers, and more.

Output cable is 8.5 inches, 22cm long and terminates with a 3.5x1.1mm plug connected to a universal USB port. Need more cable? Add this [4'](#) or [10'](#) extension.

Apple compatible

Product Attributes

- Dimensions: 1 × 1 × 1 cm

- Weight: .4 kg