Yeti Link Expansion Module (V3) by Goal Zero



CAD \$399.00][200,200,200][14]

Current Sale Price: Original price was: CAD \$399.00.CAD \$199.00Current price is: CAD \$199.00.

SKU: GZYETI-LINK-V3

Product Categories: Goal Zero, Adaptor Cables, Battery Chargers, Connectors,

DC-DC Converters, Shop, Wire, Wiring & BOS

Product Tags: 98200, 98201, 98202, alternator, canada, chain, expansion, goal zero 98200, goal zero yeti link, link, rv, sprinter, transit, v3, van, yeti link, yeti link canada, yeti link link v3, yeti tank, yeti vehicle charging

Product Page:

https://www.modernoutpost.com/product/yeti-link-expansion-module-v3-by-goal-zero/

Product Summary

The newly engineered Yeti Link Expansion Module connects Tank Expansion

Batteries to your Yeti 1500X and larger Yeti X-line power station for increased home backup power.

This kit also includes a 120W power supply for wall charging.

Product Description

The newly engineered Yeti Link Expansion Module connects Tank Expansion Batteries to your Yeti 1500X and larger Yeti X-line power station for increased home backup power.

This kit also includes a 120W power supply for wall charging.

NOTE: NOT COMPATIBLE WITH YETI 1000X. Cannot be used at the same time as the Yeti Lithium MPPT Solar Charging Optimization Module.

Goal Zero's industry-leading LINK battery chaining technology allows you to connect cost-effective Lead Acid batteries to our high-quality Yeti X and Yeti Lithium Power Stations to easily scale your energy storage capacity. Expand your Yeti X power station for home back-up or increased storage capacity for off-grid applications.

Yeti LINK : Vehicle Integration

- Quickly and easily recharge a Yeti Lithium (1500X or higher) from your vehicle while on the move. Charge rates vary from 25A - 80A Max Current (300W -750W) depending on Yeti Lithium size and capacity. - When placed in "Vehicle Mode," the Yeti Link allows your Yeti Lithium to safely pull power from your vehicle's alternator while the vehicle is running and stop pulling power when the vehicle is off. NOTE: Yeti Link must be in Vehicle Mode to utilize this feature or it will drain your vehicle's battery. All Links come standard set in "Tank Mode". NOTE: NOT COMPATIBLE WITH YETI 1000X.

Yeti LINK Specifications

CHARGE TIMES

Max Input from Yeti Tank to:

Yeti 1500X: 454-750W

Yeti 3000X: 750W Yeti 6000X: 750W

16th 0000X. 730V

GENERAL

Product SKU: 98212

Weight: 1.5 lbs (680 g)

Dimensions: 10.25 x 3.3 x 1.5 in. (26 x 8.4 x 3.8 cm)

Warranty: 2 Years

YETI X 120W Power Supply

Gauge: 16AWG

Cable Length: 9 ft 4 in.

Dimensions: 2.5 x 5.9 x 1.4 in. (6.5 x 15 x 3.5 cm)

PORTS

Do not exceed 22V input

8mm Charging Port (input): 14 - 22V Do not exceed 150W (10A) per port

External Battery Connector (output): 80A Charge Controller

External Battery Connector (Input/Output): 10.7-15V. Do not exceed 15V

YETI X 120W Power Supply

Input: AC Wall Plug 100-240V - 50/60Hz 3.0A

Output: 8.0mm 16V-7.5A, 120W

WHAT'S IN THE BOX

Yeti Link Expansion Module V3

120W Power Supply

Product Attributes

- Dimensions: 30 × 12 × 6 cm

- Weight: 2.9 kg

Product Gallery



